Web Images Videos Maps News Shopping Gmail more ▼	<u>Sign in</u>
Gogle schola: Glass transition of polycarbonate "thermal co: Search Advanced Scholar Search Scholar Proferences	
Scholar Articles and patents and anytime include citations include	Results 1 - 10 of about 2,220. (0.51 sec)
Surface acoustic wave probes for chemical analysis. III. Thermomechanical polymer analyzer H Wohtgen, R Dessy - Analysical Chemistry, 1979 - ACS Publications could probably do a factor of 10 better with little difficulty (3). In addition a thermal conductivity detector has 7. Polysulfone (strained 25 %) glass transition profile strained sample occurring at 189 "C. The glass transition for a single-phase polycarbonate - polysulfone copolymer Cited by 264 - Belated studies - All 3 versions	
A Differential Scanning Calorimeter for Quantitative Differential Thermal Analysis. ES Watson, MJ O'neill, J Justin, N Branner - Analytical Chemistry, 1864 - ACS Publications The thermal conductivity effluent monit, or cell and its associated circuitry. ", ~ In conventional DTA, the thermal conductivity of the sample will markedly influence the area obtained per unit of energy input or output Cited by 208 - Betated articles - All 2 versions	
Study of change in thermal diffusivity of amorphous polymers during glass transition J Morikawa, J Tan, T Hashimoto - Polymer, 1995 - Elsevier in polymer processing the thermal transport properties such as thermal diffusivity a and thermal conductivity A are in Table 1. Tg is defined as the middle point of the glass transition in this Figure 6 shows the a of polycarbonate (PC), polyimide (PI) and poly(ether sulfone) (PES) Clied by 28 - Related articles - 81, Direct - All 6 versions	
Microtabricated polycarbonate CE devices for DNA analysis Y Liu, D Ganser, A Schneider, R Liu, P Grodziński, Anal. Chem, 2001 - ACS Publications Compared to glass, polycarbonate (like most of the plastic materials) has poor thermal conductivity The glass transition temperature for polycarbonate is about 145 °C; therefore the devices made of this material are well-suited for PCR reactions, which require thermal. Cated by 183 - Research Science At Circuit - All Sciences	uieh.edu (PDF)
Differential thermal lens temperature scanning approach to glass transition analysis in polymers: application to polycarbonate JH Rohling, AN Medina, AC Bento, JRD Journal of Physics Dt, 2001 - lopscience.lop.org lens spectrometry is applied to determine the thermal and optical properties of polycarbonate as a Differential TL temperature scanning approach to glass transition analysis in polymers mass density, c is the sample's specific heat, and k is the sample's thermal conductivity Given by 1.1 - Perlated articles - St. Direct - At 5 versions	
The influence of thermal history on internal stress distributions in sheets of PMMA and polycarbonate JR Saffell, AH Windle - Journal of Applied Polymer Science, 1980 - Interscience, wiley.com Once the surface conductance has been measured and the heat capacity and thermal conductivity are deter-mined, cooling curves stability with aging is to avoid elastic stresses by reducing the cooling rate through the glass transition (150°C for polycarbonate), which usually Cited by 28 - Belated anticles - All 2 versions	
Measurements of the thermal conductivity and thermal diffusivity of polymer melts with the short-hot-wire method X Zhang, W Flendro, M Fujil, T Tommura, N International Journal of, 2002 - Springer are observed for the thermal diffusivity (Fig.9) near the glass transition temperature a maximum value at the melt transition temperature, and that of polycarbonate fluctuates sharply The thermal conductivity and thermal diffusivity of four kinds of commercial polymers have been Cited by 2a - Related ancies - 8i. Direct - Air 6 versions	
Thermal writing using a heated atomic force microscope tip HJ Mamin - Applied Physics Letters, 1996 - link.arp.org The glass transition temperature for the polycarbonate is about 140 °C, very consistent with these values We have also operated the cantilevers on a rotating polycarbonate substrate C. Because of this relatively high transition temperature and the high thermal conductivity of the Cited by 65 - Related articles - Bt. Direct - At 5 versions	
Model of the selective laser sintering of bisphenol-A polycarbonate JC Nelson, S Xue, JW Barlow, JJ Beaman, Industrial &, 1993 - ACS Publications the bed temperature is as close to the polymer softening temperature (the glass transition temperature bed density at position z, C, the specific heat, K the thermal conductivity, T the For sintering of an amorphous material, such as the bisphenol-A polycarbonate (PC) described Clied by 86 - Related stricks - St. Direct - Ali & versions.	
Detection of polymer transitions by measurement of thermal properties RC Steere - Journal of Applied Polymer Science, 1966 - interscience, wiley.com conductivity of polycarbonate. OC v YYI 4 0 .40 0 10 "C Fig. 1s. Specific heat of polycarbonate. The specific heat values compare well with those obtained in ail extensive study on Lexan resi11.1~ Poly(viny1 Chloride) Poly(viny1 chloride) is known to have a glass transition Gilled by 18 - Related articles.	

Create email alert

"glass transition" of polycarbonate "t Search

Go to Google Home - About Google - About Google Scholar

©2010 Google